

Energy Saving GX53 CFL Lighting



Milan CFL Surface Mounted Light

Milan Surface Mounted Light
7 Watt CFL
9 Watt CFL Warm White
9 Watt CFL Cool White

Code: SY9363
Code: SY9291
Code: SY9758
Code: SY9759

- Available with either 7 watt or 9 watt compact fluorescent lamp
- Mains voltage - no need for a transformer
- No lamp included - see page 94



Palermo CFL Surface Mounted Light

Palermo Surface Mounted Light
7 Watt CFL
9 Watt CFL Warm White
9 Watt CFL Cool White

Code: SY9364
Code: SY9291
Code: SY9758
Code: SY9759

- Available with either 7 watt or 9 watt compact fluorescent lamp
- Mains voltage - no need for a transformer
- No lamp included - see page 94



Mains GX53 CFL Square Recessed Light

Recessed GX53 Light
7 Watt CFL
9 Watt CFL Warm White
9 Watt CFL Cool White

Code: SY9361
Code: SY9291
Code: SY9758
Code: SY9759

Dimensions: 88mm (w) x 88mm (l)

- Available with either 7 watt or 9 watt compact fluorescent lamp
- Mains voltage - no need for a transformer
- Recessed depth: 20mm
- Flange depth: 5mm
- No lamp included - see page 94



Mains GX53 CFL Circular Recessed Light

Recessed GX53 Light
7 Watt CFL
9 Watt CFL Warm White
9 Watt CFL Cool White

Code: SY9362
Code: SY9291
Code: SY9758
Code: SY9759

Dimensions: 90mm (dia) x 27mm (recessed d)

- Available with either 7 watt or 9 watt compact fluorescent lamp
- Mains voltage - no need for a transformer
- Recessed depth: 20mm
- Flange depth: 5mm
- No lamp included - see page 94



Remote Control Colour Changing LED

This innovative LED gives a new dimension to adding colours to your kitchen with 14 pre-set colours, 4 colour changing options and 4 dimming levels.



Remote Control Colour Changing LED

3 Watt RGB Changing Lamp
Remote Control for Above
RGB Master
RGB Slave
1m Cable with Male Amp Plug
LED Driver for Above (will power max of 2 RGB lights)

Code: SY9515
Code: SY9516
Code: SY9545
Code: SY9546
Code: SY9247
Code: SY9400

- Fits into any MR16 low voltage fitting (except multi-directional fittings)
- 1 remote control can operate any number of fittings
- 3 x 1 watt energy saving LED's
- LED's with 30,000 hours lamp life
- LED driver required - see page 84



The company reserves the right to alter technical details without prior notification

LED Strips



IP44 Flexible LED Strip - 5 Metre Reel

Flexible LED Strip Cool White	Code: SY9985CW
Flexible LED Strip Warm White	Code: SY9985WW
IP44 Power Cable inc Connector	Code: SY9986
Fast Clip Connector	Code: SY9988
8 Watt LED Driver	Code: SY9980
15 Watt LED Driver	Code: SY9739A
Flexible LED Strip - 2m Kit inc 8 Watt Driver in Blue	Code: SY9989BL
Flexible LED Strip - 2m Kit inc 8 Watt Driver in Cool White	Code: SY9989CW
Flexible LED Strip - 2m Kit inc 8 Watt Driver in Warm White	Code: SY9989WW


- 5 metre reel includes 240 high output LED's
- Each high output LED uses only 0.07 watts of power
- The strip can be cut every 60mm if required and power/connections can be made to the cut end
- LED's with 30,000 hours lamp life
- Peel off backing reveals a self adhesive coating for ease of installation
- Drivers include an 8 watt and 15 watt, but a 30 watt driver can be ordered
- See pages 81 and 83 for drivers
- Kits include a 1000mm IP44 power cable and 8 watt LED driver



300mm IP54 Flexible LED Strip

300mm IP54 Flexible LED Strip Cool White	Code: SY9917CW
300mm IP54 Flexible LED Strip Warm White	Code: SY9917WW
300mm IP54 Flexible LED Strip Cool Blue	Code: SY9917BLUE
Starter Kit	Code: SY9957CW/WW/BL
Add on Kit	Code: SY9960CW/WW/BL
+ Connector	Code: SY9918
T Connector	Code: SY9919
L Connector (flat 90° bend)	Code: SY9920
Direct Connector	Code: SY9921
Vertical Connector	Code: SY9922
1.2m Flexible Connector	Code: SY9933
1.5m Distributor Lead	Code: SY9923
24 Watt LED Driver	Code: SY9924
39 Watt LED Driver	Code: SY9951

- High output LED
- All connections made via direct connectors
- Peel off backing reveals 300mm tape for fixing
- See page 82 for drivers
- The last strip in the run can be reduced in length to 225mm, 150mm or 75mm using the scissor marks. Note: power cannot be supplied to the cut end




LED Strips



300mm RGB IP54 Flexible LED Strip

300mm RGB IP54 Flexible Strip	Code: SY9917RGB
Starter Kit	Code: SY9957RGB
Add on Kit	Code: SY9960RGB
+ Connector	Code: SY9918
T Connector	Code: SY9919
L Connector (flat 90° bend)	Code: SY9920
Direct Connector	Code: SY9921
Vertical Connector	Code: SY9922
1.2m RGB Flexible Connector	Code: SY9977
1.5m Distributor Lead	Code: SY9923
Remote Control and Sensor Kit	Code: SY9961
24 Watt LED Driver	Code: SY9924
39 Watt LED Driver	Code: SY9951

- Remote control and sensor kit required
- High output LED
- All connections made via direct connectors
- Peel off backing reveals 300mm tape for fixing
- See page 82 for drivers
- The last strip in the run can be reduced in length to 225mm, 150mm or 75mm using the scissor marks. Note: power cannot be supplied to the cut end



The company reserves the right to alter technical details without prior notification



250mm RGB LED Strip

250mm Colour Changing Strip	Code: SY9821
1m RGB Interconnecting Cable	Code: SY9822
1m Extension Lead	Code: SY9823
15 Watt RGB Driver and Colour Sequencer (up to 9 strips)	Code: SY9825
30 Watt RGB Driver and Colour Sequencer (up to 18 strips)	Code: SY9826

- Cycles through 7 different preset colours
- Different colour changing options available
- Each strip is 250mm in length
- Strips can be connected to each other via flexible connector strips
- Each strip contains 9 high power LED's



250mm LED Strip

250mm Strip - White	Code: SY9738A/WH
5 Watt Power Driver - 7 Strips	Code: SY9909
15 Watt Power Driver - 20 Strips	Code: SY9739A
30 Watt Power Driver - 42 Strips	Code: SY9765
1m Distributor Lead	Code: SY9744A
30mm Connector Lead	Code: SY9769
300mm Connector Lead	Code: SY9743A
1500mm Connector Lead	Code: SY9770

- 10 point LED strip
- Uses 0.7 watts of power per strip
- 250mm long
- Fully linkable

Energy Saving Bedroom Lighting



Magic Armadio Rail Light

T5 8 Watt 560mm	Code: SY9462
T5 13 Watt 860mm	Code: SY9463
T5 13 Watt 960mm	Code: SY9464
Spare 8 Watt Lamp	Code: SY9311
Spare 13 Watt Lamp	Code: SY9313

Special lengths available to order

- 230v fluorescent T5
- Integrated motion sensor
- Integrated ballast
- Easy fixing method
- Compatible with rail brackets
- Spare lamps available - see page 96



Bedroom Sensor Light

T5 8 Watt 560mm	Code: SY9466
T5 13 Watt 860mm	Code: SY9467
T5 13 Watt 960mm	Code: SY9468
Spare 8 Watt Lamp	Code: SY9311
Spare 13 Watt Lamp	Code: SY9313

Special lengths available to order

- 230v fluorescent T5
- Integrated motion sensor
- Integrated ballast
- Easy fixing method
- Spare lamps available - see page 96



Energy Saving Bedroom Lighting



Roma Contemporary Glass Base Compact Fluorescent Table Lamp

Roma Table Lamp	Code: SY7079
GX53 9 Watt Lamp Warm White	Code: SY9758
GX53 9 Watt Lamp Cool White	Code: SY9759

Dimensions: 85mm (dia) x 400mm (h) x 150mm (base)

- Contemporary glass base table lamp
- GX53 lamp base
- Lamp not included - see page 94
- Illuminance at 50cm = 328lm when using 9 watt compact fluorescent lamp



Roma Contemporary Glass Base Compact Fluorescent Floor Lamp

Roma Floor Lamp	Code: SY7080
GX53 9 Watt Lamp Warm White	Code: SY9758
GX53 9 Watt Lamp Cool White	Code: SY9759

Dimensions: 85mm (dia) x 1300mm (h) x 220mm (base)

- Contemporary glass base floor lamp
- GX53 lamp base
- Lamp not included - see page 94
- Mains 220-240v supply
- Illuminance at 50cm = 328lm when using 9 watt compact fluorescent lamp



Power LED Fittings

Rail with 1 x 1.2 Watt LED 150mm	Code: SY9811A
Rail with 2 x 1.2 Watt LED 450mm	Code: SY9784A
Rail with 2 x 1.2 Watt LED 500mm	Code: SY9785A
Rail with 3 x 1.2 Watt LED 600mm	Code: SY9786A
Rail with 4 x 1.2 Watt LED 800mm	Code: SY9787A
Rail with 4 x 1.2 Watt LED 900mm	Code: SY9788A
Rail with 5 x 1.2 Watt LED 1000mm	Code: SY9789A
6 Watt LED Power Driver	Code: SY9896

- Power driver required for each fitting - see page 81 for driver
- Aluminium profile with high flat power LED's and integrated temperature control



Solo Light

Solo Left Hand 1 Watt LED	Code: SY9967LH
Solo Right Hand 1 Watt LED	Code: SY9967RH

Dimensions: 185mm (w) x 85mm (d) 82mm (h)
174mm (w) x 64mm (d) x 70mm (h) - flush fitting box

- Supplied to be recessed on surfaces with ease of access at the back
- Integrated driver



Energy Saving Bedroom Lighting



Oya 2 Double Articulated Arm

Oya 2 Double Articulated Arm Code: SY9731MC
Spare 9 Watt GX53 Lamp
Warm White Code: SY9758
Spare 9 Watt GX53 Lamp
Cool White Code: SY9759

Dimensions: 296mm (w) x 365mm (d) x 70mm (h)

- Wall lamp articulated 2 arms with 2 pin switches
- 2 x 9 watt, GX53
- Metal and zinc alloy
- Class 1
- Lamp not included - see page 94

(MC)



Salsa Short Arm

Salsa Short Arm Code: SY9728MC
Spare 9 Watt GX53 Lamp
Warm White Code: SY9758
Spare 9 Watt GX53 Lamp
Cool White Code: SY9759

Dimensions: 85mm (w) x 113mm (h)

- Wall lamp short arm with pin switch
- 9 watt, GX53
- Metal and zinc alloy
- Class 1
- Lamp not included - see page 94

(MC)



Salsa Flexible Arm

Salsa Flexible Arm Code: SY9729MC
Spare 9 Watt GX53 Lamp
Warm White Code: SY9758
Spare 9 Watt GX53 Lamp
Cool White Code: SY9759

Dimensions: 70mm (w) x 222mm (d) x 113mm (h)

- Wall lamp flexible arm with pin switch
- 9 watt, GX53
- Metal and zinc alloy
- Class 1
- Lamp not included - see page 94

(MC)



Salsa Articulated Arm

Salsa Articulated Arm Code: SY9730MC
Spare 9 Watt GX53 Lamp
Warm White Code: SY9758
Spare 9 Watt GX53 Lamp
Cool White Code: SY9759

Dimensions: 70mm (w) x 370mm (d) x 113mm (h)

- Wall lamp articulated arm with pin switch
- 9 watt, GX53
- Metal and zinc alloy
- Class 1
- Lamp not included - see page 94

(MC)

Bedroom Lighting



Wardrobe Flip Out Light

Wardrobe Flip Out Light Code: SY9200
Spare 20 Watt Lamp Code: SY0498

Dimensions: 110mm (w) x 345mm (d) x 65mm (h)

- 20 watt, G4, 12v
- Incorporates transformer
- Spare lamps available - see page 95
- Pre-wired



(WH)



Wardrobe Switch Light

Push Button Switch Code: SY9201
Spare 20 Watt Lamp Code: SY0498

Dimensions: 110mm (w) x 260mm (d) x 60mm (h)

- When button is released, lights are turned on
- When button is depressed, lights are turned off
- Pre-wired
- Incorporates transformer
- Spare lamps available - see page 95



(WH)



Single Flexi Light

Single Flexi Light Code: SY8667
Transformer Code: SY1503W/3
Spare 20 Watt Lamp Code: SY0498

- 20 watt G4, 12v
- Complete with lamp
- 1.5m lead plus mini amp connector
- Requires transformer - see page 86
- Spare lamps available - see page 95
- Flexible fitting
- Available in kit form

(CC) (GD)



Double Flexi Light

Double Flexi Light Code: SY8668
Transformer Code: SY1503W/3
Spare 20 Watt Lamp Code: SY0498

- 20 Watt G4, 12v
- Complete with lamps
- 1.5m lead plus mini amp connector
- Requires transformer - see page 86
- Spare lamps available - see page 95
- Flexible fitting
- Available in kit form

(AL)

LED Power Converters and Transformers



5 Watt 12vdc LED Power Converter

5 Watt 12vdc LED Power Converter Code: SY9909

- Output 12v/5 watt DC
- Complete with 6 way amp block
- Short circuit protection
- Overload protection
- Thermal protection



24 Watt LED Power Converter

24 Watt LED Power Converter Code: SY9924

- Input 100-240v
- Output 12v/24 watt DC
- Short circuit protection
- Overload protection
- Thermal protection



LED Power Converters and Transformers



8 Watt 12vdc LED Power Converter

8 Watt 12vdc LED Power Converter Code: SY9980

- Input 180-250v
- Output 12v/8 watt DC
- Complete with built in 3 way amp connectors
- Short circuit protection
- Overload protection
- Thermal protection



15 Watt 24vdc LED Power Converter

15 Watt 24vdc LED Power Converter Code: SY7083

- Input 220-240v
- Output 24v/15 watt DC
- Short circuit protection
- Overload protection
- Thermal protection



39 Watt LED Power Converter

39 Watt LED Power Converter Code: SY9951

- Input 100-240v
- Output 12v/39 watt DC
- Short circuit protection
- Overload protection
- Thermal protection



6 Watt 350mA LED Power Converter

6 Watt 350mA LED Power Converter Code: SY9954

- Input 220-240v
- Output DC 350mA
- Complete with 6 way amp block
- Short circuit protection
- Overload protection
- Thermal protection



The company reserves the right to alter technical details without prior notification

LED Power Converters and Transformers



12v LED Power Converter

12v/10 Watt Power Converter Code: SY9400

- For use with 21 point LED lights
- Supplied with 6 part amp block
- Short circuit protection
- Overload protection
- Thermal protection
- 12v/10 watt DC



24v LED Power Converter

24v/10 Watt Power Converter Code: SY9401A

- Input 220-240v
- Output 24v/10 watt DC
- Short circuit protection
- Overload protection
- Thermal protection



Standard Ceiling Transformers



20/60va Electronic Transformer

20/60va Transformer Code: SY1507

- Supplied with 150mm flying leads
- Short circuit protection
- Overload protection
- Thermal protection
- Boxed with instructions
- 3 year guarantee



10/60va Shark Electronic Transformer

10/60va Transformer Code: SY1516

- Short circuit protection
- Fully dimmable unit with trailing and leading edge dimmers
- Thermal protection
- 1 year guarantee



12v Converter for use with LED Halo

24v/10 Watt Power Converter Code: SY9476

- 6 way driver for Halo light



350mA Power Converter


350mA Converter Code: SY9293

- 100-260 power input
- Output DC350int
- Complete with 6 way splitter
- Will run up to six 1 watt LED's
- Mains lead with junction box



The company reserves the right to alter technical details without prior notification

Kitchen Cabinet Transformers



20/60va Electronic Transformer

3 Way 20/60va Transformer Code: SY1503W/3
3 Way 20/60va Transformer Code: SY1503A/W

- Supplied with 3 way mini amp block
- Overload protection
- Short circuit protection
- Thermal protection
- 3 year guarantee



35/105va Electronic Transformer

35/105va Transformer Code: SY1505A

- Supplied with 6 way mini amp block
- Overload protection
- Short circuit protection
- Thermal protection
- 1 year guarantee



TCI Transformer

10/60va Transformer Code: SY1503B6

- 10/60va with 6 way mini amp block
- Overload protection
- Short circuit protection
- Thermal protection
- Fully dimmable



IP44 Transformer

IP44 Transformer Code: SY1514

- 70VA IP44 transformer
- Thermal protection
- Short circuit and overload protection




Kitchen Cabinet Transformers



20/60va Touch Dimming Transformer

Transformer Code: SY1510A

- Supplied with 3 way mini amp block
- Separate sensor lead switches transformer on and off and regulates the brightness
- Short circuit and overload protection
- 1 year guarantee



The electrical circuit within the touch dimming transformer allows the set of three lights to be controlled from a master unit. The master unit can increase or decrease the brightness of the lights by simply touching the carcass of the light until the desired lighting level is achieved.

The lights can be switched on or off with a simple stroke of the finger tip upon the master unit. The unit is complete.



Cabinet Switches



LED Dimming Switch

LED Dimming Switch

Code: SY7085

- For use with 12vdc/24vdc LED power converters
- Touch LED dimmerable switch control fit for remote mounting
- Can be used with – Rimini, Como, Quattro, Saturn, Serafino, Power LED's and 250mm LED Strips



Cabinet Switch

Cabinet Switch

Code: SY2095

- Switch to turn light off when opening cabinet door
- Supplied with 1.5m of lead plus mini amp connector




Push Button Switches

Push Button Switch Spacer

Code: SY9254A
Code: SY0004

- Suitable for use with 12v or 230v lights
- When button is released, lights are turned on
- When button is depressed, lights are turned off



Touch Switch

Touch Switch

Code: SY1508A

- Separate sensor for turning lights on and off
- The touch switch will run up to four 20/60va electronic transformers
- 1 year guarantee
- 250 watt rating
- Switches 220-240v

Touch switching system

The touch switch allows on/off switching by simply touching a master unit.



Infra Red Sensors




Sensor Kit

500 Watt Sensor Kit

Code: SY9901

Dimensions: 24mm (dia)

- System for automatically switching on light
- Maximum capacity 500 watt
- Movement sensor
- Maximum range 2.5m



Infra Red DC Cabinet Sensor

Infra Red DC Cabinet Sensor

Code: SY7069

- 12v infra red switch
- Maximum wattage - 18 watts
- Automatically switches on lighting when the door is opened




Infra Red Sensor

Infra Red Sensor

Code: SY9253

Dimensions: 55mm (dia)

- Suitable for use with 12v or 230v lights
- Turns lights on when movement is sensed
- If no movement is sensed within 30 seconds, the light turns off
- 200 watt rated
- 5m range



Infra Red Sensor On/Off





























Infra Red Sensor On/Off

Code: SY9783

- Activated by passing hand over sensor
- Aluminium effect
- Control system for light fittings with max load 550 watts per switch



Glossary of Icons

	<ul style="list-style-type: none"> Indicates the compliance with the low voltage and electromagnetic compatibility 		<ul style="list-style-type: none"> Product certified through the respective certifying body 	SELV	<ul style="list-style-type: none"> Product certified through the respective certifying body
	<ul style="list-style-type: none"> Product certified to British Standards 		<ul style="list-style-type: none"> Class I lighting: Includes earth protection as a complementary security measure against electrical shocks 		<ul style="list-style-type: none"> Suitable for mounting on combustible materials
	<ul style="list-style-type: none"> Product certified through the respective certifying body 		<ul style="list-style-type: none"> Class II lighting: Includes a reinforced or double insulation as a protection against electrical shocks 		<ul style="list-style-type: none"> Integrated PIR sensor
	<ul style="list-style-type: none"> Product certified through the respective certifying body 		<ul style="list-style-type: none"> Class III lighting: The protection against electrical shocks comes from the supply of very low security tension 	EMC	<ul style="list-style-type: none"> Product certified through the respective certifying body.
	<ul style="list-style-type: none"> Product certified through the respective certifying body 		<ul style="list-style-type: none"> Minimum distance in metres between the lamp and the surfaces or objects directly lighted 		<ul style="list-style-type: none"> WEEE compliant
	<ul style="list-style-type: none"> Product certified through the respective certifying body 		<ul style="list-style-type: none"> Suitable for installation on normally combustible surfaces 		<ul style="list-style-type: none"> Suitable for mounting on combustible materials
	<ul style="list-style-type: none"> Product certified through the respective certifying body 		<ul style="list-style-type: none"> Suitable for use in furniture 		<ul style="list-style-type: none"> Suitable for mounting on combustible materials
	<ul style="list-style-type: none"> Product certified through the respective certifying body 		<ul style="list-style-type: none"> Diameter of cut for the embedment in millimetres 		<ul style="list-style-type: none"> Cable length
	<ul style="list-style-type: none"> Product certified through the respective certifying body 		<ul style="list-style-type: none"> For indoor use only 		<ul style="list-style-type: none"> 12vdc power converter required
	<ul style="list-style-type: none"> Product certified through the respective certifying body 		<ul style="list-style-type: none"> Thermal cut out temperature 		<ul style="list-style-type: none"> 350mA power converter required

- | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| White | Chrome | Nickel Matt | Polished Brass | Aluminium | Stainless Steel | Black | Brushed Chrome | Gold | Matt Black | Matt Silver | Satin Chrome | Silver | Polished Aluminium | Clear Thermo Plastic | Matt Chrome | Matt White | Antique Brass | Brushed Nickel |